




JEDERMANN

Fahrzeugleuchten

# PULSEmann

---




Ultra-fast failure  
detection and  
optimal  
protection



JEDERMANN

Fahrzeugleuchten



# PULSEmann

## Description

The PULSEmann module is a control and pre-charging unit for LED vehicle lights in modern towing vehicles, compliant with ISO 13207-1. Featuring turn indicator failure detection, it enables the use of lights without built-in monitoring functionality. Easily installed between the power supply and the light, it offers seamless integration and maximum safety.

## Characteristics



Available with  
either open cable  
ends or  
plug/socket  
connectors



ADR approved



Protection class IP6K9K



Certified according to UNECE regulations  
No. 10



Customizable cable length and connector options



Voltage range 10 V to 30 V




Operating temperature range: -30°C to +60°C



JEDERMANN

Fahrzeugleuchten

## Technical drawing



## Versions



| Article number | Input cable length | Output cable length |
|----------------|--------------------|---------------------|
| M002-000-001   | 0,4 m              | 0,4 m               |
| M002-000-002   | 0,4 m              | 0,4 m               |
| M002-000-003   | 0,4 m              | 0,4 m               |



Hauptstraße 33  
56291 Hausbay



Jedermann AG  
info@jedermann-ag.de



06746-208